

5
Sub

10

15

20

25

30

35

3. The magnetic recording and/or

reproducing apparatus as claimed in claim 1, further comprising:

memory means for storing a conversion table which includes the average values of the equalized waveform.

4. The magnetic recording and/or reproducing apparatus as claimed in claim 3, further comprising:

control means for updating said conversion table at an arbitrary timing.

5. A magnetic recording and/or reproducing apparatus comprising:
a look-up table which stores compensation amounts based on errors between ideal values and average values of a reproduced waveform of a signal sequence reproduced from a magnetic recording medium or average values of an equalized waveform which is obtained by equalization of the reproduced waveform; and

a compensation circuit which carries out a recording compensation with respect to a non-linear distortion based on said look-up table when recording the signal sequence on the magnetic recording medium.

6. The magnetic recording and/or

5

15

25

25 9. A magnetic recording and/or
reproducing apparatus comprising:
 reproducing means for reproducing a signal
sequence from a magnetic recording medium and
outputting a reproduced waveform;
30 equalization means for equalizing the
reproduced waveform and outputting an equalized
waveform;
 a look-up table which stores compensation
amounts based on errors between ideal values and
35 average values of the reproduced waveform or average
values of the equalized waveform; and
 a compensation circuit which carries out a

recording compensation with respect to a non-linear distortion based on said look-up table when recording the signal sequence on the magnetic recording medium.

5

10. The magnetic recording and/or reproducing apparatus as claimed in claim 9, further comprising:

memory means for storing said look-up table, and a conversion table which includes the average values of the equalized waveform.

15

11. The magnetic recording and/or reproducing apparatus as claimed in claim 10, further comprising:

control means for updating said conversion table and/or said look-up table at an arbitrary timing.

25

12. A magnetic recording and/or reproducing apparatus comprising:
an equalization section which carries out an equalization with respect to a signal sequence reproduced from a magnetic recording medium, and outputs an equalized waveform; and
a conversion section which converts the equalized waveform into a maximum likelihood sequence by carrying out metric calculation based on

30

35

0000111100001

SM
61

a lue

10

magnetic re-
atus compri-
g section w
magnetic rec-
ced wavefor-
ion section
ne reproduc-
form;
ole which s-
errors betw-
(the repro-
alized wave-
on circuit
ation with
on said loc-
nal sequenc-

15

errors between
(the reproduced
signalized wave
on circuit
ation with
on said loc
nal sequence

15

errors between
(the reproduced
signalized wave
on circuit
ation with
on said loc
nal sequence

20

a compensation circuit which carries out a recording compensation with respect to a non-linear distortion based on said look-up table when recording the signal sequence on the magnetic recording medium.

25

30

35